
Commend Columns

Security and Communication







Our easily visible, self-explanatory Information and Emergency Call Stations offer people in need of assistance instant help via instant connection to a central control desk.

The stations act at the same time as information terminals, enabling user to request information and personal assistance.

Greet your guests and customers with bi-directional audio-video-communication and automatic welcome messages in perfect speech quality.

Stations at barriers enable communication to arriving visitors, guests and to control the access for security purposes. Tall columns equipped with 2 stations are designed to meet the requirement for communication with truck drivers as well.

Thanks to their modular structure, Commend Columns can be customized in accordance with customers' requirements.

V56-201VICM V56-200VICA Wadal resistant module with buttons. V56-200VICA Wadal resistant module with button and microphone. V56-200VI Wadal resistant module with button and microphone. V56-200VI button and microphone.	
Wain-PCB & Loudspeaker & Microphone (module with buttons) Wain-PCB & Loudspeaker, camera, 1 call button and microphone. PCB LS MIC Wain-PCB & LS MIC Wain-PCB & LS V56-20VICM Wandal resistant station with 2 × 8 Ω loudspeakers and PCB. PCB LS Wain-PCB & LS Wain-PCB & Loudspeaker, camera, 3 call	
V56-201VICM V56-201VICM Wandal resistant station with budspeaker, PCB and AXIS-camera. CB LS V56-201VICM Vandal resistant station with budspeaker, camera, 1 call button and microphone. VF6 LS V56-201VICM Vandal resistant station with budspeaker, camera, 1 call button and microphone. VF6-200VI Vandal resistant module with 2 x 8 Doldspeakers and PCB. VF6B LS VF6-202 TAST Vandal resistant module (half height) with 2 x 8 Doldspeakers. VF6-202 TAST Vandal resistant module (half height) with 2 x 8 Q loudspeakers.	
V56-201VICM V56-201VICM Wandal resistant module with loudspeaker, PCB and AXIS-comera. PCB LS PCB LS MC V56-201VICM V56-201VICM Wandal resistant station with loudspeaker, camera, 1 call button and microphone. V56-200VI PCB LS MC V56-200VIC V56-200VI Wandal resistant module with 2 x 8 Ω loudspeakers and PCB. PCB LS V56-202VICM Vandal resistant module with 2 x 8 Ω loudspeakers and PCB. V66-202-TAST Wandal resistant station with loudspeaker, camera, 3 call V66-202-TAST Vandal resistant module (half heigh microphone.	
Yandal resistant module with loudspeaker, PCB and AXIS-camera. Yourdal resistant station with loudspeaker, camera, 1 call button and microphone. YEB LS Ys6-203VICM Yandal resistant station with loudspeaker, camera, 1 call button and microphone. YEB LS Ys6-203VICM Yandal resistant station with loudspeaker, camera, 3 call Ys6-203VICM Yandal resistant module (half height) with 2 call buttons and microphone.	
Vandal resistant station with loudspeaker, camera, 1 call button and microphone. Y-56-200VI PCB LS MIC Vandal resistant module with 2 x 8 Ω loudspeakers and PCB. PCB LS Vandal resistant station with loudspeaker, camera, 3 call Y-56-202-TAST Vandal resistant module (half height) with 2 call buttons and microphone.	
Y-56-200VI Vandal resistant module with 2 x 8 Ω loudspeakers and PCB. PCB Y-56-203VICM Vandal resistant station with loudspeaker, camera, 3 call Y-56-203VICM Y-56-203VICM Y-56-203VICM Y-56-203VICM Y-56-203VICM Y-56-203VICM Y-56-203VICM Y-56-203VICM Y-56-203VICM Yandal resistant module (half height) with 2 call buttons and microphone.	
Y-56-203VICM Vandal resistant station with loudspeaker, camera, 3 call Vandal resistant module (half height) with 2 call buttons and microphone. Y-56-LM6 Vandal resistant module with 6 x 8 Ω loudspeakers.	
buttons and microphone. PCB LS MIC	
Y-56-203-TAST Vandal resistant module (half height) with 3 call buttons and microphone. Image: Imag	
Y-56-201VICA Vandal resistant station with loudspeaker, AXIS-camera, 1 call button and microphone. PCB LS MIC Y-56-SOS-TAST Vandal resistant module (half height) with 1 big emergency call button and microphone. WIC Y-56-BLANK Dummy module.	
Y-56-BLANK2 Dummy module (half height Vandal resistant emergency	:).
Valuative Statute intergency valuative Statute intergency call station with loudspeaker, camera, 1 big emergency call button and microphone. Vandal resistant module PCB LS MIC LS	
Y-56-211VICA Y-56-211VI-TAS Vandal resistant emergency Y-56-211VI-TAS call station with loudspeaker, Vandal resistant module with	
AXIS-camera, 1 big emergency call button and microphone.	
PCB LS MIC PCB MIC Y-56-CRD Module for HID reader.	

Please keep in mind that not every module is compatible to each other.

In case there are any other modules similar to the vandal resistant WS Series needed or if any questions occurred, please don't hesitate to contact the Customized Solutions department.

Column CS-ONE





Many possibilities

The CS-Two column impresses with its slim, elegant design and bi-directional video communication in brilliant voice quality. Thanks to the modular design, the column can be easily adapted to any requirements. Emergency columns can be implemented as well.











Lobel



4 . 5 . 6 .

. 7 . 8 . 9 .

T D X +

Induction loop amplifier module. WS-AC

WS-IL

WS-CAM

WS-TFT Vandal resistant TFT display module.

WS-DA

WS-AXISCAM

with AXIS-camera.

Vandal resistant camera module with colour video camera.

Vandal resistant camera module

Dummy module with access reader symbol for integration of an access reader.

Induction loop amplifier module with 3 large, easily visible LED pictograms.

WS-LS Loudspeaker module with 2 x 8 Ω loudspeakers.

WS-BTN1 1 back-lit direct dialling button, label area and microphone.

WS-BTN2

2 back-lit direct dialling buttons, label areas and microphone.

WS-BTN3

3 back-lit direct dialling buttons, label areas and microphone.

WS-BBTN1

1 big back-lit emergency call button and microphone.

WS-BBTN2

1 big back-lit emergency call button and 1 back-lit standard button with label area and microphone.


WS-BBTN1A 1 big back-lit emergency call button.

WS-BBTNX Buttons in different colours and with symbols (e.g. bell) possible.

WS-KEYPAD

Back-lit alphanumeric standard keypad with function buttons.





WS-LS6

Loudspeaker module with $6 \times 8 \Omega$ loudspeakers for an even higher volume.

WS-DD53V

Direct Dialling Module with 3 programmable, back-lit buttons and label areas.

WS-DD59V

Direct Dialling Module with 9 programmable, back-lit buttons and label areas.













Column CS-**TWO**





Combination possibilities with stations of Series WS or EE 8000. Sizes, colours, stations, modules ...





Vandal resistant Intercom stations Please have a look on our website www.commend.com to discover the whole range of Series WS.

Column CS-**THREE**

• ······ Choose your station

Every vandal resistant Intercom station of Series WS can be used. There is also a version for industrial environments and mounting of industrial stations Series EE 8000 available.






 Front- and Back Panel Stainless steel (1.4301), 3 mm (0.12 in)

..... Modules Possibility to place modules (half-height) for e.g. access reader (Please note: Possible from a minimum height of 1,650 mm)









 For vehicle entrance barriers (Trucks/Cars)
 2.38 m high and with 2 mounting possibilities for Intercom Stations



Commend Intercom

Security and Communication for People, Buildings and Industry.





Customized Solutions

A suitable solution for every customer need. In case our portfolio of standard products does not cover a specific requirement, our team of hardware and software specialists will work out a tailored concept for you and implement it in Commend's proven high-quality.

Projects

Melbourne, Australia – Help point solution

Bern, Switzerland – Bollards control and communication

Le Cannet, France – Help points & Talking Camera solution

Glasgow, United Kingdom – Emergency call and evacuation solution

Lwiw, Ukraine – Bollards control and communication

Subway and metro stations around the world (e.g., London Underground)

Thousends buildings all over the world

Visit us at

www.commend.com

Overview - Surveillance - Control

Commend Control Desk solutions make it easy to get a perfect overview in any situation.

- Automatic display of the corresponding video feed
- Automated voice announcements (e.g., reassurance messages)
- Control of barrier gates and bollards



Every call guaranteed to get through

Constant availability, thanks to **system self-monitoring** – automated Intercom Station function tests (loudspeaker-microphone monitoring) / Line Monitoring / server redundancy concepts.



Flexible call forwarding options

In case the central Intercom station is unattended or unavailable, incoming calls are forwarded automatically in a pre-defined order of priority. Calls can also be forwarded to several recipients simultaneously to ensure they are answered as quickly as possible.



Superior speech intelligibility

Loud and clear connections ensuring **natural communication**. Suppression of background noise (e.g., traffic noise). Automatic volume adjustment via Intelligent Volume Control (IVC)

Feel free to contact our experts for further details about our columns.

A strong network. WORLDWIDE

Commend is represented the world over by local Commend partners, ensuring enhanced security and communication with tailored Intercom solutions.

Quality tested. Reliable. Smart.

COMMEND products are developed and manufactured by Commend International in **Salzburg, Austria**. The development and manufacturing processes are certified in accordance with EN ISO 9001:2008.